

F4

MUE
BLES
DE
BAÑO

| NOFER



NUESTRAS COLECCIONES


OUR COLLECTIONS


- ▶ Ancona
- ▶ Atrani
- ▶ Trend
- ▶ Reel

-
- ▶ Características y complementos de la gama
Characteristics and complements on the range

-
- ▶ Manual de instalación
Installation manual
 - ▶ Condiciones de venta
Terms of sale







Lacado /
Lacquered



Madera
Laminada /
Laminated
Wood



Art /

Blanco brillo /
White Gloss



3D CAJONES
METÁLICOS
3D metallic
drawers /


Cierre silencioso
Soft closing




DECOBUILD
SYSTEM 19MM

ANCONA / 2 cajones 2 drawers

► MUEBLE Vanity



cotas seno encimera
technical integrated sink



► BASE DE LAVABO SUSPENDIDO 2 CAJONES

Wall hung base 2 drawers

COLOR Colour	A (cm)	REF
	60	AN202.060.BB
	60	AN202.060.ART
	80	AN202.080.BB
	80	AN202.080.ART
	100	AN202.100.BB
	100	AN202.100.ART

► ENCIMERA CERÁMICA INTEGRADA VOLTERRA

Integrated ceramic countertop VOLTERRA

A (cm)	REF
61	EV.061.C
81	EV.081.C
101	EV.101.C


► ESPEJO Mirror

Level



Alto 80cm
Height 80cm

Moon



Alto A (cm)
Height A (cm)

Sun



Alto 80cm
Height 80cm

incluye sistema On/Off de encendido y sistema antivaho con pulsador
includes systems On/Off Led and antimist system with push button

A (cm)	REF	REF	REF
60	LV.06080		SN.06080
80	LV.08080	MN.08080	SN.08080
100	LV.10080	MN.100100	SN.10080

LUZ Light
LED

COLOR °K Colour °K
4000K Neutra Neutral

CONSUMO Consumption
MAX. 26.5W

FLUJO LUMINOSO Luminous flux
960 LUMENS metro lineal linear meter

ESTANQUEIDAD Tightness
IP44



PULSADORES ON/
OFF & ANTIVAH
On/Off & Anti-mist push
buttons

► APLIQUE LED ESPEJO (solo para modelo Level)

Mirror LED Light (only for Level model)




REF

LVL.030.B

LUZ Light	COLOR °K Colour °K	CONSUMO Consumption	FLUJO LUMINOSO Luminous flux	ESTANQUEIDAD Tightness
LED	4000K Neutra Neutral	9.6W	960 LUMENS metro lineal linear meter	IP20

► AUXILIARES / COLUMNA

Auxiliaries / COLUMN



COLOR Colour	A (cm)	REF
	35	XCN.035.D.BB
	35	XCN.035.D.ART

◀ Apertura derecha e izquierda. Reversible.

Right and left opening. Reversible.

Sistema apertura Push.

Push system opening.







► Lacado /
Lacquered



Blanco brillo /
White Gloss

Madera
Laminada /
Laminated
Wood



Art /




3D CAJONES
METÁLICOS
3D metallic
drawers /
Cierre silencioso
Soft closing




DECOBUILD
SYSTEM 19MM

ATRANI / 3 cajones + patas 3 drawers + legs

MUEBLE Vanity



cotas seno encimera technical integrated sink



BASE DE LAVABO SUSPENDIDO 3 CAJONES + patas

Wall hung base 3 drawers + legs

COLOR Colour	A (cm)	REF
	60	AT303.060.BB
	60	AT303.060.ART
	80	AT303.080.BB
	80	AT303.080.ART
	100	AT303.100.BB
	100	AT303.100.ART

ENCIMERA CERÁMICA INTEGRADA VOLTERRA

Integrated ceramic countertop VOLTERRA

A (cm)	REF
61	EV.061.C
81	EV.081.C
101	EV.101.C


ESPEJO Mirror

Level




Alto 80cm
Height 80cm

Moon



Alto A (cm)
Height A (cm)

Sun



Alto 80cm
Height 80cm

incluye sistema On/Off de encendido y sistema antivaho con pulsador
includes systems On/Off Led and antimist system with push button

A (cm)	REF	REF	REF
60	LV.06080		SN.06080
80	LV.08080	MN.08080	SN.08080
100	LV.10080	MN.100100	SN.10080

LUZ Light	COLOR °K Colour °K	CONSUMO Consumption	FLUJO LUMINOSO Luminous flux	ESTANQUEIDAD Tightness
LED	4000K Neutra Neutral	MAX. 26.5W	960 LUMENS metro lineal linear meter	IP44

PULSADORES ON/
OFF & ANTIVAH
On/Off & Anti-mist push
buttons

APLIQUE LED ESPEJO (solo para modelo Level) Mirror LED Light (only for Level model)




REF

LVL.030.B

LUZ Light	COLOR °K Colour °K	CONSUMO Consumption	FLUJO LUMINOSO Luminous flux	ESTANQUEIDAD Tightness
LED	4000K Neutra Neutral	9.6W	960 LUMENS metro lineal linear meter	IP20

AUXILIARES / COLUMNA Auxiliaries / COLUMN



COLOR Colour	A (cm)	REF
	35	XCN.035.D.BB
	35	XCN.035.D.ART

Apertura derecha e izquierda. Reversible.
Right and left opening. Reversible.
Sistema apertura Push.
Push system opening.







► Madera
Laminada /
Laminated
Wood
Art /



Tirador /
Handle



Oro



Cromo



Negro




3D CAJONES
METÁLICOS
3D metallic
drawers /
Cierre silencioso
Soft closing




DECOBUILD
SYSTEM 19MM

TREND / 2 cajones 2 drawers

► MUEBLE Vanity



cotas seno encimera technical integrated sink



► BASE DE LAVABO SUSPENDIDO 2 CAJONES

Wall hung base 2 drawers

TIRADOR Handle	A (cm)	REF
	60	TD202.060.ART.OR
	60	TD202.060.ART.IX
	60	TD202.060.ART.N
	80	TD202.080.ART.OR
	80	TD202.080.ART.IX
	80	TD202.080.ART.N
	100	TD202.100.ART.OR
	100	TD202.100.ART.IX
	100	TD202.100.ART.N

► ENCIMERA CERÁMICA INTEGRADA VOLTERRA

Integrated ceramic countertop VOLTERRA

A (cm)	REF
61	EV.061.C
81	EV.081.C
101	EV.101.C

Para tiradores de
recambio pág 20.

To replacement
handles pg 20.


► ESPEJO Mirror

Level



Alto 80cm
Hight 80cm

Moon



Alto A (cm)
Hight A (cm)

Sun



Alto 80cm
Hight 80cm

incluye sistema On/Off de encendido y sistema antivaho con pulsador
includes systems On/Off Led and antimist system with push button

A (cm)	REF	REF	REF
60	LV.06080		SN.06080
80	LV.08080	MN.08080	SN.08080
100	LV.10080	MN.100100	SN.10080

LUZ Light	COLOR °K Colour °K	CONSUMO Consumption	FLUJO LUMINOSO Luminous flux	ESTANQUEIDAD Tightness
LED	4000K Neutra Neutral	MAX. 26.5W	960 LUMENS metro lineal linear meter	IP44



PULSADORES ON/
OFF & ANTIVAHU
On/Off & Anti-mist push
buttons

► APLIQUE LED ESPEJO (solo para modelo Level)

Mirror LED Light (only for Level model)




REF

LVL.030.B

LUZ Light	COLOR °K Colour °K	CONSUMO Consumption	FLUJO LUMINOSO Luminous flux	ESTANQUEIDAD Tightness
LED	4000K Neutra Neutral	9.6W	960 LUMENS metro lineal linear meter	IP20

► AUXILIARES / COLUMNA

Auxiliaries / COLUMN



COLOR Colour	A (cm)	REF
	35	XCN.035.D.ART

Apertura derecha e izquierda. Reversible.

Right and left opening. Reversible.


Sistema apertura Push.

Push system opening.

F4 | NOFER







Madera
Laminada /
Laminated
Wood

Art /



Tirador /
Handle



Oro



Cromo



Negro




3D CAJONES
METÁLICOS
3D metallic
drawers /
Cierre silencioso
Soft closing




DECOBUILD
SYSTEM 19MM

REEL / 2 cajones 2 drawers

► MUEBLE Vanity



cotas seno encimera technical integrated sink



► BASE DE LAVABO SUSPENDIDO 2 CAJONES

Wall hung base 2 drawers

TIRADOR Handle	A (cm)	REF
	60	RE202.060.ART.OR
	60	RE202.060.ART.IX
	60	RE202.060.ART.N
	80	RE202.080.ART.OR
	80	RE202.080.ART.IX
	80	RE202.080.ART.N
	100	RE202.100.ART.OR
	100	RE202.100.ART.IX
	100	RE202.100.ART.N

► ENCIMERA CERÁMICA INTEGRADA VOLTERRA

Integrated ceramic countertop VOLTERRA

A (cm)	REF
61	EV.061.C
81	EV.081.C
101	EV.101.C

Para tiradores de
recambio pág 20.

To replacement
handles pg 20.


► ESPEJO Mirror

Level




Alto 80cm
Height 80cm

Moon



Alto A (cm)
Height A (cm)

Sun



Alto 80cm
Height 80cm

incluye sistema On/Off de encendido y sistema antivaho con pulsador
includes systems On/Off Led and antimist system with push button

A (cm)	REF	REF	REF
60	LV.06080		SN.06080
80	LV.08080	MN.08080	SN.08080
100	LV.10080	MN.100100	SN.10080

LUZ Light
LED

COLOR °K Colour °K
4000K Neutra Neutral

CONSUMO Consumption
MAX. 26.5W

FLUJO LUMINOSO Luminous flux
960 LUMENS metro lineal linear meter

ESTANQUEIDAD Tightness
IP44

PULSADORES ON/ OFF & ANTIVAHU On/Off & Anti-mist push buttons

► APLIQUE LED ESPEJO (solo para modelo Level)

Mirror LED Light (only for Level model)




REF

LVL.030.B

LUZ Light	COLOR °K Colour °K	CONSUMO Consumption	FLUJO LUMINOSO Luminous flux	ESTANQUEIDAD Tightness
LED	4000K Neutra Neutral	9.6W	960 LUMENS metro lineal linear meter	IP20

► AUXILIARES / COLUMNA

Auxiliaries / COLUMN



COLOR Colour	A (cm)	REF
	35	XCN.035.D.ART

Apertura derecha e izquierda. Reversible.

Right and left opening. Reversible.

Sistema apertura Push.

Push system opening.

UNA SELECCIÓN DE DISEÑOS PARA DECORAR TU BAÑO.

A SELECTION OF DESIGNS TO DECORATE YOUR BATHROOM.

► MUEBLE *Vanity*



-  Cajones metálicos con sistema de cierre silencioso y con 3 regulaciones de ajuste.
Metallic drawers with soft closing system with 3 adjustment settings.
-  Interior del mueble y los cajones color Antracita.
Interior vanities and drawers in Antracita colour.
-  Decobuild System / Mueble encolado . Grosor 19mm.
Decobuild System / Vanity glued. 19mm thickness.
-  Sistema colgar con bloqueo de seguridad.
High security wall fixing system with security block.

► COLORES

Colours

ART / LAMINADO *Laminated*



BLANCO BRILLO / LACADO / *White Gloss / Lacquered*



► TIRADORES. Recambios *TREND / REEL* *Handles, Replacement TREND / REEL*

Juego 2 unidades.
2 units set.



TIRADOR <i>Handle</i>	A (cm)	REF
	60	T.030.060.ORO
	60	T.030.060.INOX
	60	T.030.060.NEGRO
	80	T.040.080.ORO
	80	T.040.080.INOX
	80	T.040.080.NEGRO
	100	T.050.100.ORO
	100	T.050.100.INOX
	100	T.050.100.NEGRO

► AUXILIARES. COLUMNA *Auxiliaries. COLUMN*

Apertura derecha e izquierda.
Reversible.

Right and left opening. Reversible.

Sistema colgar con bloqueo de seguridad.

High security wall fixing system with security block.

Sistema apertura Push.
Push system opening.



SERVICIO EXPRES. PRODUCTO EN STOCK.

SUJETO A DISPONIBILIDAD

EXPRESS SERVICE. PRODUCT IN STOCK. SUBJECT TO AVAILABILITY



► ENCIMERA. Volterra Countertop. Volterra

Encimera integrada Cerámica VOLTERRA.
Integrated ceramic countertop VOLTERRA.

Blanco Brillo.
White Gloss.


► ESPEJOS Mirrors



MOON



SUN




LEVEL

LUZ Light	COLOR °K Colour °K	CONSUMO Consumption	FLUJO LUMINOSO Luminous flux	ESTANQUEIDAD Tightness
LED	4000K Neutra Neutral	MAX. 26.5W	960 LUMENS metro lineal lineal meter	IP44

Incluye tecnología Antivaho y sistema On / Off.

Includes On/Off sensor and antimist system




► Pulsador On / Off On/Off push button

Permite encender y apagar la luz LED.
It will allow you to turn the mirror on/off.

► Pulsador Antivaho Anti-mist push button

Permite encender y apagar el sistema antivaho.
It will allow you to turn the mirror on/off.




► Sistema antivaho Anti-mist system

Evita la condensación del agua sobre el espejo que distorsiona la imagen.
It prevents the condensation of water on the mirror, improving the comfort of use and the perfect reflection of the mirror.

Las luces LED y el antivaho se desconectan automáticamente pasadas las 3 horas de inactividad.

The LED lights and the defogger switch off automatically after 3 hours of inactivity.


Manual instalación *Installation manual*



Cotas recomendadas de instalación sanitaria.



Recommended dimensions for the sink installation.

Regulación de cajones Drawer regulation



Extracción de cajones
Drawer extraction

Regulación de colgadores Hangers regulation



▲ Modelos Reel / Trend
Reel / Trend Models

Condiciones de venta *Terms of sale*

Las descripciones y fotografías contenidas en nuestro catálogo deberán entenderse únicamente a nivel informativo. Nuestra política es la de mejorar continuamente los productos, por ello nos reservamos el derecho de modificar las especificaciones sin previo aviso. Los colores visualizados en las imágenes impresas pueden diferir de la realidad.

Para más información, consultar página 483 del Catálogo Nofer 2022 o escanear el QR.

The descriptions and photographs contained in our catalogue are with an information purpose only. Our company policy is to improve our products continuously; therefore we reserve the right to change specifications without prior notification. Colours shown in printed images may vary from the colours of the finished products.

For more information, go to page 483 of the Nofer 2022 Catalog or scan the QR.





BARCELONA
NOFER, S.L.
📍 Ctra. Laureà Miró, 385-387
08980 Sant Feliu de Llobregat
Barcelona - Spain
☎ +34 934 742 423
📠 +34 934 743 548
✉ nofer@nofer.com
🌐 www.nofer.com

MILANO
BOCCHISAFEWORK, S.R.L.
📍 Via Torino, 10
20060 Liscate
Milano - Italy
☎ +39 0249 796 141
✉ info-bocchi@nofer.com

DUBAI
Office #1, Industrial Area,
Maliha Road, P.O. Box
4316, Sharjah, UAE
☎ +971 65467420
✉ info@mena-gate.com



CAT.NF410.M1



NOFER
BRAND GROUP



NOFER



DECOSAN

BOCCHI SafeWORK

agelar, s.a.